



SCOUR PADS [AUST] PTY LTD
 ABN 96 132 186 942

INCORPORATED IN VICTORIA

1/2 DALKEITH DRIVE, DROMANA, VICTORIA, AUSTRALIA, 3936.

FACTORY AND OFFICE :- TELEPHONE : 03 5981 4791.

FAX : 03 5981 4792.

MATERIAL SAFETY DATA SHEET

Date of Issue 1/01/2013

Company Name & Address

Scour Pads (Aust) Pty Ltd
 1 / 2 Dalkeith Drive,
 Dromana Vic. 3936

Telephone

Office:- 03 5981 4791
 Fax :- 03 5981 4792

Worksafe Hazard Assessment: Not classified as hazardous according to the criteria of Worksafe Australia.

IDENTIFICATION

PRODUCT NAME : Eze-lap Lapping Compound Water Based Fluid
 Water Based Fluids are identified by the letters "WF" which appear after the grade.

Grades :- H120 WF H320 WF H700 WF
 H240 WF H500 WF

Standard Pack size :- 500 gms.

UN No. - None allocated Hazchem Code - Not assigned
 CAS No. - Not relevant

Other Names - This MSDS is meant for the above listed range of Products all of which are "WF" Water Fluid Based.

Dangerous Goods Class - None allocated
 Sub Risk Class - Not assigned
 Packaging Group - None allocated EPG: None allocated

Poison Schedule - Not allocated
 Product Type - Cream to Brown coloured liquid
 Chemical Family - Mixture of Abrasive grains in a water gel.
 Uses - Abrasive Grain in a viscous Gel suspension. Used in small quantities for Lapping valves.

Physical appearance & Properties:

Appearance & Odour - Cream to Brown coloured material of cream like consistency - liquid form.

Chemical Reactivity - Stable.

MANUFACTURERS OF :- REDIBUFF FLOOR POLISHING AND STRIPPING PADS.* HANDEZE INDUSTRIAL SCOURERS & SPONGE SCOURERS* EZE LAP LAPPING COMPOUNDS* EZEGRIND GRINDING PASTES* METAL FINISHING & PROFILE SANDING MACHINES AND SANDING WHEELS*PNEUMATIC SANDING DRUMS.

DISTRIBUTORS OF NORTON & CARBORUNDUM ABRASIVES* DYNABRADE INDUSTRIAL ABRASIVE POWER TOOLS* CUSTOM BUILT GRINDING WHEELS* ABRASIVE ROLLS *SHEETS *SANDING AND LINISHING BELTS *METAL POLISH * POLISHING EQUIPMENT*POLY PTX POLISHING SYSTEMS*SHINANO INDUSTRIAL AIR TOOLS.

INGREDIENTS

Proportion

Hydrated Aluminium Silicate	10% - 50%
Abrasive Grain - Aluminium Oxide	10% - 50%
Abrasive Grain - Silicon Carbide	10% - 50%
Water	10% - 50%

This is a commercial product and the exact ratio of components may vary. Trace quantities of impurities are also likely.

HEALTH HAZARD

- Eye** - The Abrasive Grains present in this product would be irritative to the eye causing redness and a tearing sensation.
- Swallowed** - Data suggests that the product should be considered to be non toxic by ingestion.
- Skin** - Data suggests that this product should be considered as non hazardous

FIRST AID

If swallowed do not induce vomiting seek medical advise.

Eye - If this product comes in contact with the eye, hold open and wash with running water, ensure irrigation under eyelids by occasionally lifting them. Do not try to remove contact lenses unless trained. If irritation is evident seek medical advise.

Skin - If this product comes in contact with the skin, wash thoroughly with soap and water. Remove contaminated clothing and footwear. Ensure contaminated clothing is washed before using again.

PRECAUTIONS FOR USE

Engineering Controls.

Special ventilation is not normally required.

Personal Protection.

The use of eye protection is suggested when using this product. Avoid contact with the skin and eyes. When exposure is likely, personal protective equipment in a combination appropriate to the degree and nature of exposure, should be selected from the following list :-

- (1) Eye protection. Consult AS 1336 & AS/NZS 1337 for information concerning eye protection.**
- (2) PVC gloves**
- (3) PVC apron and sleeves**
- (4) PVC or rubber boots.**

CONTAMINATION

If contamination occurs, change clothing and discard internally contaminated gloves and footwear. Launder contaminated clothing before use.

Observe good personal hygiene.

Eye wash fountains and safety showers should be available for emergency use.

REFERENCES

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :-

**HB 9 (Handbook 9)
AS 1337**

**Manual of industry personal protection
Eye Protectors for industrial applications**

PRECAUTIONS FOR USE

Engineering Controls.

Special ventilation is not normally required.

Personal Protection.

The use of eye protection is suggested when using this product. Avoid contact with the skin and eyes. When exposure is likely, personal protective equipment in a combination appropriate to the degree and nature of exposure, should be selected from the following list :-

- (1) Eye protection. Consult AS 1336 & AS/NZS 1337 for information concerning eye protection.**
- (2) PVC gloves**
- (3) PVC apron and sleeves**
- (4) PVC or rubber boots.**

CONTAMINATION

If contamination occurs, change clothing and discard internally contaminated gloves and footwear. Launder contaminated clothing before use.

Observe good personal hygiene.

Eye wash fountains and safety showers should be available for emergency use.

REFERENCES

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :-

HB 9 (Handbook 9)
AS 1337

Manual of industry personal protection
Eye Protectors for industrial applications

FLAMMABILITY

Non Combustible liquid.

SAFE HANDLING INFORMATION

Storage and Transport

Store away from dust.
Keep containers closed when not in use.

Spills and Disposal

No special steps. Use absorbent soil, sand, sawdust or other inert material. Minor quantities may be disposed of in industrial wastes, in accord with local authority regulations.

Fire/Explosion Hazard

There is no explosion hazard from this material.
